

FORMULATIONS

Foaming Clay Mask (#RO-013-17-A)

| Trade Name | INCI Name | % | Supplier |
|--|--|-------|-------------------------------|
| Water | water | QS | - |
| Euxyl K 900 | benzyl alcohol, ethylhexylglycerin, tocopherol | 1.00 | SCHÜLKE |
| Sensiva SC 10 | caprylyl glycol, ethylhexylglycerin | 1.00 | SCHÜLKE |
| Edeta BD | EDTA | 0.10 | BASF |
| Dermatein Power Powder II - All Around | maltodextrin, sodium hyaluronate, beta glucan, panthenol, hydrolyzed vegetable protein, allantoin, aloe barbadensis leaf extract | 0.50 | BIOORGANIC CONCEPTS |
| Glycerin | glycerin | 1.00 | - |
| Cosphaderm Propanediol natural | propanediol | 1.00 | COSPHATEC |
| BioNatural Tropical Enzyme | papain, bromelain, maltodextrin | 0.20 | BIOORGANIC CONCEPTS |
| Floraesters K-20W Jojoba | hydrolyzed jojoba esters, water | 0.50 | FLORATECH |
| CP Oat Avenanthramides Extract | avena sativa (oat) kernel extract, water, glycerin, potassium sorbate | 1.00 | CEAPRO |
| Pure Light Chinese Peony (Gly) | glycerin, paeonia lactiflora leaf cell extract | 0.50 | NAOLYS |
| CP Oat Beta Glucan Liquid | avena sativa (oat) bran extract, water, sodium benzoate, potassium sorbate | 1.00 | CEAPRO |
| Beraclay Red | magnesium aluminum silicate, kaolin, mica | 30.00 | BERACA |
| BioBlend AS | water, sodium c14-16 olefin sulfonate, sodium cocoamphoacetate, cocamidopropyl hydroxysultaine, propanediol, phenoxyethanol, ethylhexylglycerin, sodium chloride | 23.00 | BIOORGANIC CONCEPTS |
| Rheocare TTA | acrylates copolymer | 5.00 | BASF |
| Sparkling Rose (2015101417) | fragrance | 0.25 | COSMO INTERNATIONAL FRAGRANCE |
| AE CosmoFluor 61 | methyl perfluorobutyl ether, methyl perfluoroisobutyl ether | 4.00 | AE CHEMIE |

PROCEDURE 1) Add in order. After adding AE CosmoFluor 61, mix thoroughly. Immediately pour into air tight packaging.



FORMULATIONS

Foaming Clay Mask (#RO-013-17-A)

SPECIFICATIONS

| | |
|-------------|--|
| pH: | 5.5-6.5 |
| viscosity: | 300,000 – 380,000 cPs (Brookfield LVT, T-F, 1.5rpm) |
| appearance: | opaque, viscous cream |
| color: | brick red |
| odor: | characteristic/rosy |

FEATURES AT A GLANCE

- #ColdProcess
- #Enzyme-Exfoliating
- #Anti-Aging
- #Unique
- #Clarifying

FEATURES AND BENEFITS

Foaming Clay Mask bubbles on the skin as **BioBlend AS**, a mild surfactant with good foaming profile, reacts with the volatile ether. The color of the mask is due to the **Beraclay Red**, which is clinically tested to improve cutaneous elasticity. It also helps to repair cutaneous damages caused by natural aging & is suitable for sensitive skin as it contains oligoelements. **Dermatein Power Powder II – All Around** provides hydration, protection from UV damage, and anti-inflammatory properties. The anti-inflammatory property is doubled with the action of **CP Oat Avenanthramide Extract** as it acts as a powerful natural antioxidant and calms the skin. **Floraesters K-20W Jojoba** boosts hydration as it forms a film on the skin while trapping glycerin in it; this effectively increases the bio-available hydration potential of glycerin. **Pure Light Chinese Peony** plant cells are proven to give mattifying & moisturizing effects to the skin while **BioNatural Tropical Enzyme** helps to soften the skin & increases absorption of water and emollients. **Rheocare TTA** helps to thicken and stabilize the mask and its ease of use makes it a perfect thickening agent in surfactant systems.

RELATED FORMULATIONS

BASF – Papaya Energizing Mask
Beraca – Green Clay oil Control Facial Mask

Floratech – Dichromatic Moisturizing Warming Mask
Botaneco – Natural Clay Mask

View more Formulations
on our website

rossorg.com/formulas

